
Obesity Surgery

FIRAS OBEIDAT, MD, FACS

Definition

- Excess accumulation of fat in the body, which occurs as a result of imbalance between energy intake and energy expenditure.
- ▶ 2nd only to smoking as the leading cause of preventable death in the US.
- Diagnosis is usually made by:
 - calculation of BMI
 - measurement of waist hip ratio.
 - (men <94 cm, women <80cm)

Weight gain cycle



Eitiology

multifactorial: genetic environmental

Fat distribution

- Android (central obesity, apple shaped, male, above the waist)
- Gynoid (below the waist, pear shaped, female)

Comorbidities

- ► Endocrine
- CVS
- Urogenetal
- Muscoloskeletal
- Respiratory
- ► CNS
- ▶ Cancer
- ► GI
- psychlogical

Targets of obesity treatment

- Excess weight loss
- Treatment of comorbid conditions
- Quality of life

Treatment

- ► Life style modification
- Drug therapy
- Surgery

Indications for surgery

- ► BMI
- Acceptable operative risk
- Age
- Failed non operative measures
- Commitment

Preoperative evaluation

- Multidisciplinary approach (exclude endocrine cause)
- ► Laboratory evaluation

Surgical options

Restrictive procedures:


- ► VBGP
- ► LAGB
- ► LSG


Malapsorptive procedures:


- Jejunoileal bypass
- Scopinaro procedure
- ► BPD with Duodenal switch


Combined procedures:


► LGBP











Which procedure for which patient?

Complications

- ► Early complications
- ► Late complications

Conclusion

- Surgery is the best available option for obesity treatment.
- Selection of proper procedure for proper patient is crucial.
- There is no ideal procedure applicable for all patents.
- Surgery should be offered after failure of conservative measures.
- Optimization of patient condition through a multidisciplinary approach is mandatory.

Thank you